

ABACO

Index:



- The Problem
- What is ABACO?
- What makes ABACO so unique?
- Possible Applications
- Scientific Proof



THE PROBLEM

Germs are spread mostly by the hands



→ The antibacterial coating on fittings prevents this





- = a thin antibacterial coating
- A combination of PVD and customised, antibacterial nanotechnology.

 There are four notable properties which make ABACO so unique!



1. Speed: Proven to completely destroy bacteria after only <u>5 minutes</u>.

Bacterial growth and spread is completely inhibited immediately after first contact with ABACO (bacteriostatic function).



2. Durability: The antibacterial properties of ABACO improve over time and with general wear and tear.

The antibacterial properties of ABACO are guaranteed for a period of 20 years.



3. Design: No visual difference to "conventional" fittings.

A wide variety of colours available:



ABACO fittings offer individual design possibilities.

4. Versatility in terms of the fitting's design and application.

Both indoor and outdoor installation possible.

Door handles, security fittings, window and push handles, panic bars etc.





















In summary...

- ... ABACO provides reliable protection from germs and also ensures that the original design of the spaces concerned is in no way comprised.
- ... ABACO can be useful for both public and private spaces.
- ...ABACO has numerous possible applications...

Possible Applications:





Nursing Homes



Universities and Schools



Hospitals and Doctors' Surgeries

Possible Applications:









Offices





The effects are scientifically proven

 Scientific validation has been provided by the Universities of Navarra (Spain) and Brescia (Italy)

In accordance with the standards JIS Z

2801:2010/A1: 2012 (highest standard) and ISO 22196:2007 (E)







 Bacterial strains: Escherichia Coli and Staphylococcus Aureus are the most widespread bacteria. Responsible for many contact infections.

 ABACO destroys the bacteria cell membranes.



The effects are scientifically proven




 Excellent results: all the qualities and properties mentioned above can be verified.

 According to DM and 3/21/1973 the coating is completely safe for human contact.





Thanks for your attention!



Süd-Metall Beschläge GmbH – www.suedmetall.com – 0049 8654 4675 50 - info@suedmetall.com